

NAME

flatten - flatten the layout of a cell

SYNOPSIS

flatten [-L] [-dN] [-f file] [-h] [-n name] [-s] [-t] [-p] [-v] cell

OPTIONS

-L Flatten only LOCAL sub-cells.
-dN Flatten depth (default N=1000)
-f file Output to LDM file (no overwrite).
-F file Output to LDM file (overwrite).
-h Help messages (no processing).
-n name New cell name (default ...flat).
-s Silent mode.
-t Flatten terminals of sub-cells.
-p No terminal postfix (only if needed).
-v Verbose mode.

DESCRIPTION

The *flatten* program flattens the hierarchical layout of a cell into the ICD database. The new cell name is default ...flat. If this cell name already exists it is updated (overwritten). Take care not to overwrite an existing cell accidentally, especial when using option **-n**. Alternatively the layout of the flattened cell can be written to a LDM file.

Options may be combined. Except after **-d** must be a number. For options **-f**, **-F** and **-n** the next argument is taken. Last argument must be the cell name.

The option **-t** adds all sub-cell terminals to the flattened top-cell, it is default using the _subN postfix (N >= 1) for the terminal names. If you don't want this, use option **-p**, then the postfix is only added when the terminal is already found.

When a LDM file is specified on the command line, you can best add the LDM postfix ".ldm".

AUTHOR

S. de Graaf

LIMITATIONS

Sub-cell labels are not flattened.

SEE ALSO

"The Geometrical Mask Layout Language LDM" - NELSYS user documentation.
cldm(1ICD), xldm(1ICD).